

Building with  
Festool and Protool is

# Faster, Easier, Smarter

Ends 30 April 2012



IMPACT  
EC-TEC Inside

FESTOOL  
Li-Ion  
TI 15  
www.festool.com  
Made in Germany

NEW



TI 15  
Cordless Impact  
Page 8

NEW



SURFIX Oil Dispenser  
Page 5

NEW



DOMINO XL  
Page 2

W  
WALKO  
THE WORKBENCH SYSTEM



WALKO - The  
Ultimate Workbench  
Page 6

FESTOOL

PROTOOL®

## Stable, Versatile and Precise - the DOMINO Joining System



**\$1,399**  
in a systainer



**\$1,499**  
with trim and cross stop



**NEW**

**\$1,975**  
in a systainer



**\$2,075**  
with trim and cross stop

### Joining precision with ease

#### DOMINO DF 500

Board joining, cabinet making, or light framework joins – the mobile DOMINO joining machine will impress with unbeatable precision and ease of handling.

**Power:** 500 Watt  
**Max routing depth:** 25 mm  
**Max dowel size:** 10 x 50 mm  
**Dowel widths:** of 4, 5, 6, 8 and 10 mm

### Large workpieces?

#### You need the DOMINO XL

Fast, simple, precise and extremely stable, the DOMINO XL is ideal for furniture and door construction and for joining solid timber.

**Power:** 720 Watt  
**Max routing depth:** 70 mm  
**Max dowel size:** 14 x 140 mm  
**Dowel widths:** 8, 10, 12 and 14 mm

## Accessories to make the job easier

### DOMINO Assortment Systainers

DOMINO's Available in 3 different assortment Systainers, or sold separately in 14 standard sizes or as rod stock – for indoor and outdoor areas, and for plywood or solid wood workpieces.

Both tools work perfectly with DOMINO diameters 8 and 10 mm.



**\$415**

DOMINO Assortment Systainer Beech Domino Sizes 4/5/6/8/10 x 1060 pcs for DF 500



**\$339**

DOMINO Assortment Systainer Beech Domino Sizes D12/14 128 pcs for DF 700



**\$379**

DOMINO Assortment Systainer Beech Domino Sizes D8/D10 x 306 pcs for DF 700



**NEW**


## DOMINO XL



**ASK FOR A FREE DEMO**

### A stable joint in any situation

The DOMINO system offers the right tenon for every application. With a variety of sizes, two types of wood for indoor and outdoor use as well as rod stock that you can cut to size yourself, the possibilities of this system are virtually limitless: from board joining, light framework and cabinet making to stable furniture and door construction



Suitable for machine

Not suitable

Achieving the perfect surface



Speedy finishing

**ETS 150**

The random orbital sander ETS 150 is available in two versions: with a 3 mm sanding stroke for an immaculate surface finish or with a 5 mm sanding stroke for intermediate sanding between paint coats.

**Power:** 310W  
**Variable speed**  
**Weight:** 1.8kg  
**Sanding pad Ø:** 150 mm, Available in 3mm or 5mm orbit

3 steps to the perfect surface

1. Finish sanding with the ETS 150 and timber abrasives
2. Apply oil with the new SURFIX Oil Dispenser!
3. Work the oil into the surface with the ETS 150 and Preparation discs, then repeat steps 2 & 3 until the perfect finish is achieved



**ASK FOR A FREE DEMO**



Versatile and unique - ROTEX Sander range

Coarse sanding, fine sanding and polishing with one tool.



**FREE**



**\$815**  
in a systainer



**\$935**  
in a systainer

4 tools in 1  
**ROTEX RO 90 DX**

Make quick work of coarse sanding, fine sanding and polishing. Plus, a triangular sanding pad converts it to a detail sander

**Power:** 400 W  
**Variable speed**  
**Weight:** 1.5kg  
**Sanding pad Ø:** 90 mm, 3 mm orbit

Maximum material removal  
**ROTEX RO 150**

Triple the material removal rate when coarse sanding in ROTEX mode than a traditional eccentric sander

**Power:** 720W  
**Variable speed**  
**Weight:** 2.3kg  
**Sanding pad Ø:** 150 mm, 5mm orbit

The Detail Sanders



**\$539** ea  
in a systainer

Handy lightweight one-handed sanding/finishing.


**RTS 400 / DTS 400 Delta Sanders**

The ergonomic RTS 400 is ideal for sanding vertical surfaces and overhead work while the DTS 400 has the ideal width and pointed tip for fast refinishing of door and window frames.

**Power:** 200 W / 200 W  
**Speed:** 6000-14000 min-1 / 6000-14000 min-1  
**Stroke:** 2 mm / 2 mm  
**Pad:** 80 x 130mm / 100 x 150 mm  
**Weight:** 1.1kg / 1.1kg

USING THE RIGHT ABRASIVES SAVES YOU TIME AND MONEY!

Get 40 GRANAT ABRASIVES FREE with the purchase of a ROTEX 90, ROTEX 150, DTS 400 or RTS 400. 40 pcs contains mixed grits to suit the tool.



Granat improves cutting speed by 20% and can last up to 3 times longer than other abrasives.

**ASK FOR A FREE DEMO**



**NEW**



Clean, quick oil application

The SURFIX Oil Dispenser

With high quality oils and an applicator sponge that absorbs excess and reapplies it in the right place, it is efficient and practical. For the perfect system pair with the ETS 150 - from final sanding to, oil application and follow-up treatment, Festool has it covered.

SURFIX Set includes 1 x heavy duty indoor oil, 1 x light one-step indoor oil, 1 x heavy duty outdoor oil, 5 x applicator sponges, 10 x preparation vlies discs, 20 x timber Abrasives

[festool.com.au](http://festool.com.au)  
more info online

**\$199**  
in a systainer

Quick, clean cuts with **FESTOOL**

## The Ultimate Workbench



### Versatile and tough for on-site use

The Walko system gives professionals the ideal support platform for a wide variety of applications on-site:

- Cutting sheet materials
- Planing, routing and sanding jobs
- Carcase/ cabinet assembly
- Prep/ repair of doors and windows
- Cutting pipe, tube, profiles, etc.
- Easy to transport
- Supports up to 80 kg per shelf

Only available at selected dealers. Watch the videos and find your local dealer at:

[www.walko.com.au](http://www.walko.com.au)

SEE MORE ONLINE

## Portable Precision



TS 55  
**\$899**

in a Systainer

TS 75  
**\$1,275**

in a Systainer

The tool no tradesman should be without.

### TS 55 Plunge Saw

Precise, powerful and portable. Festool TS saws and guide rails deliver perfectly straight and splinter free cuts at any angle. In the shop and on the jobsite, it's the mobile solution for top finish carpenters, cabinet makers, installers and professional woodworkers.

**Power:** 1200 Watt  
**Cutting depth:** 55 mm  
**Blade diameter:** 160 mm  
**Weight:** 4.5 kg


## Add the guide rail length you need - for accurate cuts every time

### Guide Rails


800mm Rail




1400mm Rail



1900mm Rail



3000mm Rail



ONLY  
**\$85**

**\$99**

**\$250**

**\$475**



NEED TO FIND A WAY OF CUTTING ONSITE?

The TS 55 + CT 26 is your solution!

Visit [www.plungesaw.com.au](http://www.plungesaw.com.au) to see an independent report by the Environment & Safety Professionals



## Quick, clean cuts



**\$2,699**

Complete KS 120 set with stand

**\$1,850**

KAPEX 120 only

BONUS RADIO

### Complex mitres made easy KAPEX Compound Mitre Saw 12" cuts in a 10" saw

With a dual-line laser, fine bevel adjustment and a special cutting position, the KAPEX IKS 120 ets you make 12" cuts in a 10" saw.

**Power:** 1600 W  
**No-load speed:** 1400 - 3400 rpm  
**Saw blade diameter:** 260 mm  
Special cutting depth at 45°/90° (right) 20 x 120 mm  
**Weight:** 21.5 kg

### Complete compact Set NEW Mobile Work stand

The new KAPEX mobile work stand with precise trimming attachments stand makes transporting the lightweight saw to and from job sites quick and easy!

## Safe, clean workspace

Both the Plunge Saw and Mitre Saw perform at their peak when coupled with Festool dust extraction. All Festool dust extractors feature automatic switch on/shut off for synchronisation with the power tool, adjustable suction control and a superior design to maximise use of the container capacity.



### CT Mini Dust Extractor

Container / Filter bag capacity: 10/7.5 l  
Weight: 8.7 kg

### CT Midi Dust Extractor

Container / Filter bag capacity: 15/12.5 l  
Weight: 9 kg

### CT 26 E HEPA Dust Extractor

Container / Filter bag capacity: 26/24 l  
Weight: 13.9kg

### CT 36 E HEPA Dust Extractor

Container / Filter bag capacity: 36/34 l  
Weight: 14.4 kg

### CT 48 E HEPA Dust Extractor

Container / Filter bag capacity: 48/46 l  
Weight: 18.8 kg

Festool even has a range of special application extractors for hazardous materials like asbestos, visit [www.festool.com.au](http://www.festool.com.au) for more info.

ONLY  
**\$659**

**\$699**

**\$999**


**\$1,099**

**\$1,399**

## Get more for your money

**WSE BLADE**

Last up to 3.5 times as long as competitor brands



Adapters to suit Bosch/Dremel, Fein and Milwaukee/AEG multitools

Universal Wood/Metal blades  
Standard Wood blades  
Japanese-toothed Wood blades

Only available at selected dealers.  
Find your participating dealer at [www.multimasterblades.com.au](http://www.multimasterblades.com.au)

Buy a 5 pack of WSE blades, get an adapter FREE.

Pack of 5



FREE VALUE  
**\$39**

**THE EVOLUTION OF STIRRING**

**ADJUSTABLE HEIGHT FOR OPTIMUM COMFORT**



5 settings (80cm adjustable strokes) lets the user find the optimal height for comfortable, ergonomic mixing.



[protool.com.au](http://protool.com.au)  
more info online




Find the right stirring rod for your application - Order your free application wheel online or ask your participating dealer!

Choose your MXP and get a FREE stirring rod of your choice!



**FREE**

\*Excludes MXP 1602 Duo



**\$419**

**Light weight, compact and economic**

**MXP 1000 E EF**

Ideal for mixing quantities up to 40 kg.  
**Power:** 1020 W  
**Weight:** 4.5 kg  
Delivered in carton - Choose a bonus stirring rod




**\$599**

**Powerful for heavy mixing tasks**

**MXP 1200 E EF**

Ideal for mixing quantities up to 60 kg.  
**Power:** 1200 W  
**Weight:** 4.5 kg  
Delivered in carton - Choose a bonus stirring rod




**\$699**

**Powerful for heavy mixing tasks**

**MXP 1202 E EF**

Ideal for mixing quantities up to 70 kg.  
**Power:** 1200 W  
**Weight:** 6.4 kg  
2 gears  
Delivered in carton - Choose a bonus stirring rod



**\$839**

**Extremely powerful for largescale mixing applications**

**MXP 1602 E EF**

Ideal for mixing quantities up to 90 kg.  
**Power:** 1500 W  
**Weight:** 6.7 kg  
2 gears  
Delivered in carton - Choose a bonus stirring rod



**\$1,499**

**The power of two stirrer rods perfect for tough materials**

**MXP 1602 Duo**

Ideal for mixing quantities up to 90 kg.  
**Power:** 1500 W  
**Weight:** 7.9 kg  
2 stirring rods, 2 gears  
Delivered in carton - includes stirring rods

Mixing volume	40 l	60 l	70 l	90 l	90 l	+
Material type	low (liquid / thin)				high (heavy/dense/sticky)	+



## SURFACE SYSTEM SOLUTIONS

### Create your set:

Match the tool with the grinding disc that best suits your surface restoration task! Plus, add a VCP 260 or 480 dust extractor for superior dust free results!



**Specialist for small spaces, corners and steps**

#### RGP 3

Power: 750 W  
No-load Speed: 18,500 rpm  
Weight: 3.5kg

**The all-round specialist – for hard and soft large surfaces**

#### RGP 80

Power: 1,100 W  
No-load Speed: 2,000 - 5,900 rpm  
Weight: 3.2 kg

**Large surface area specialist – perfect for concrete and hard coatings**

#### RGP 130

Power: 1,600 W  
No-load speed: 3,000 - 7,700 rpm  
Weight: 3.8 kg

#### DIA Hard

Resurfacing and removal of old weathered concrete, removing epoxy resins, roughening smooth surfaces on ceramic tiles and floor tiles.

**\$1,095**

Tool + grinding disc in Systainer



#### DIA Abrasive

Grinding green concrete, milling hard cement plaster on walls and exteriors as well as levelling concrete floors.

**\$1,095**

Tool + grinding disc in Systainer



#### DIA Uni

Resurfacing and removing paints and coatings from concrete surfaces and plaster.

**\$1,295**

Tool + grinding disc in Systainer



**\$1,345**

Tool + grinding disc in Systainer



**\$1,295**

Tool + grinding disc in Systainer



**\$1,295**

Tool + grinding disc in Systainer



**\$1,295**

Tool + grinding disc in Systainer



**\$1,295**

Tool + grinding disc in Systainer



More grinding discs available - visit [www.protool.com.au/renofix](http://www.protool.com.au/renofix)

## ADD A PROTOOL DUST EXTRACTOR FOR SUPERIOR DUST FREE RESULTS



### NEW Construction Site Extractors with Automatic-Cleaning

#### VCP 260 and 480 AutoClean

With clever automatic filter cleaning technology, auto on/off electronics, variable suction control and an extremely robust design, they are a perfect match for the RGP range

**VCP 260 AutoClean** - 26 litre  
Weight: 14.5 kg

**VCP 480 AutoClean** - 48 litre  
Weight: 16.9 kg

VCP 260  
**\$1,245**

VCP 480  
**\$1,495**

[protool.com.au](http://protool.com.au)  
more info online

ASK FOR A FREE DEMO



NEW



### Practical storage of hand tools and accessories

#### SYS ToolBox

With the new ToolBox everything is stored quickly and safely in the two spacious compartments and can connect to other Systainers or SYS Toolboxes for carrying. (Systainer T-Loc and Systainer, size 1 - 5).

L x W x H: 396 x 296 x 150 mm  
Height with handle: 215 mm  
Weight: 1.3 kg

ONLY \$79

Find the complete Festool and Protool range and more special offers online

festool.com.au | protool.com.au



CXS Cordless Drill  
**\$399**



Compact Module System (CMS)  
**\$2,099**

Range of configurations online



OF 1400 Router  
**\$1,059**

Special offer online



OF 2200 Router  
**\$1,499**



EHL 65 Planer  
**\$550**



Laminate Trimmer OFK 700  
**\$585**



SHINEX RAP 150 Polisher  
**\$765**



Belt Sander BS 75  
**\$649**



PLANEX Long Reach Sander  
**\$1,849**

Special offer online



Work Centre 1000  
**\$699**



Rotary Hammer Drill CHP 26  
**\$449**



Protool PDC 18 Cordless Drill  
**\$699**

**ASK FOR A FREE DEMO**



Ask for a FREE, no obligation demonstration of any Festool or Protool product today!

Call 1800 063 900 and we will come to you!

**PROTOOL**  
protool.com.au

**FESTOOL**  
festool.com.au

Tooltechnic Systems Australia Pty Ltd  
PO Box 4401  
Dandenong South VIC 3164  
Phone: 1800 063 900  
Email: promotions@tooltechnic.com.au

Only available from participating Festool & Protool dealers, subject to availability – call 1800 063 900 to find your local participating dealer. All price offers are quoted based on recommended retail price inclusive of GST unless otherwise stated. No rights whatsoever can be claimed from the information and illustrations in this catalogue. We reserve the right to correct any errors or omissions. Images are for illustrative purposes only.